

CoastOne product news 2.1.2016







Machine range is now devided to C-frame and O-frame series. C-frame machines are C9, C12 and C15. O-frame models are G20, G25, G30 and G40.







AND STREET

Models Cone 1300 and 1600 are no longer available.







Cone 900 is available as standard model with no options. Back gauge with X- and R-axis. Can be still equipped with robot interface.

ast





Cone C9 is now available as Premium model for small machine. C9 has 500mm opening and 250mm stroke. Lot of options available.







High open models are C9X, C12X and C15X.





B-2800 Mechelen +32(0)15.61.75.27



High open models has now two different opening dimension, possible to select according the need. This gives more possibilities sell this model to customers having high bending tools.







BG2, Back gauge as standard is 2-axis, X and R. BG4, Additional axis, options are Z1-, Z2. BG5, Additional axis, options are Z1-, Z2 and Delta-X







1 3 1 1 1

Front supports can be installed to all G-models.








The state (181)

Sheet followers can be installed to all G-models.







1

Tilting front table can be installed to all C-models.







Additional Panel-PC is option to be used togeher with offline programming, CAM etc.








1. 1. Call

Tooling system choises are Promecam as standard and Wila mechanical. Other possible models we can offer by request.







4. 1. 1.

All models (except G40) are offered by maximum speed 100mm/s. If we reduce maximum speed to 80mm/s, maximum force will be raised 20%.







We can now offer bigger control display 15". It is easier to handle because of bigger buttons etc.





Paardenkerkhofstraat 56 B-2800 Mechelen el. +32(0)15.61.60.07 Fax. +32(0)15.61.75.27 Email. talas@talas.be www.talas.be



Working lights, front and back side, can now be added to every model (C,G) as option



